

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JAN 02 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 07 2002 under 69311

The applicant **ROCKLAND GROUP, LLC**, hereby makes application for permission to change the **Place of Use of a Portion** of water heretofore appropriated under **Permit 60877**

1. The source of water is **Underground**
2. The amount of water to be changed **.423 CFS, 306.715 acre-feet annually –Refer to #15**
3. The water to be used for **Industrial (gravel operation)**
4. The water heretofore permitted for **Industrial (gravel operation)**
5. The water is to be diverted at the following point **NE¼ SW¼ of Section 27, T20N, R22E, MDM or a point from which the W¼ corner of said Section 27 bears N 87°11' W, 2017.4 feet.**
6. The existing permitted point of diversion is located within **N/A**
7. Proposed place of use **Section 27, T20N, R22E, MDM NE¼ NE¼, NW¼ NE¼, SE¼ NE¼, SW¼ NE¼, NE¼ NW¼, NW¼ NW¼, SE¼ NW¼, SW¼ NW¼, Portion NE¼ SW¼, Portion NW¼ SW¼, NE¼ SE¼, Portion NW¼ SE¼, Portion SE¼ SE¼, Portion SW¼ SE¼. Section 26, T20N, R22E, MDM Portion SW¼ SE¼, Portion SE¼ SW¼, Portion SW¼ SW¼.**
8. Existing place of use **All of Section 27, T20N, R22E, MDM**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Existing Underground Well #2, installed 5 horsepower AIRMOTER pump and a 1½ sensus flanged flow meter.**
12. Estimated cost of works **\$25,000**
13. Estimated time required to construct works **Completed**
14. Estimated time required to complete the application of water to beneficial use **3 years**
15. Remarks: **The combined duty of this application and the application to change Permit #60877 shall not exceed a combined duty of 306.715 acre-feet annually. Refer to map on file under Permit #69311.**

By **Harry R. Ericson, PLS**
s/**Harry R. Ericson**
6980 Sierra Center Parkway, Suite 100
Reno, Nevada 89511

Compared cmf/cac ag/sam _____

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place of use of a portion of the waters of an underground source as heretofore granted under Permit 60877 is issued subject to the terms and conditions imposed in said Permit 60877 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The total combined duty of water under Permits 60877, 60878, 69439 and 69440 shall not exceed 457.715 acre-feet annually.
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.423 cubic feet per second, **but not to exceed 306.715 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

November 12, 2007

Proof of the application of water to beneficial use shall be filed on or before:

December 12, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 10th day of December, A.D. 2004


State Engineer

Completion of work filed NOV 06 2002 under 60877

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____